# Incorporating Johne's programs into Bovine Practice UK style

Peter Orpin BVSc MRCVS
Dick Sibley BVSc HonFRCVS



### Toronto 1850





#### Johne's risks even existed in 1850!





### What are the Johne's risks?





# 1917 Ontario Cow- low risk, extensively grazed and only one cow!





### Early Johne's control UK style.....





### The Johne's Epidemic 1990-2008





### The question is not whether we burn cattle, but how many and how soon



and butchers. The BSE affliction is in danger of contamisating the Beitish body phlitic. is completely reliable, acrorate account of the dangers posed to human health remains

edge of an aliyss in public confidence. This is not just a ques-

tion of measuring the emmediate threat to public health, nix the fate of farmers.

hoise. That, however, does not catastrophe is sufficiently burge to pastify bold mobilisation of allthe Covernment's resources. Consumers are beyond bland

reassurance. We need the kind of honesty that accepts what we know is familied but on the basis of what we do know, here is the that may have eaten careful judgement but it is no that have not been gram-fed time for irresolute caution.

More than half the population is considering not buying beef; not because of punic, but because it seems the most sanccourse of action, on present inbuying in large numbers, the isdustry is heading for a cultapur that will rock everything from. The consequences of inaction

#### \*\*EINDEPENDENT

rural England. Public policy needs to stay ahead, forecasting the med for compensation, incineration, waste disposal. The Government should announce a plan to occumpfish two things.

One is Songer term. It is for restructuring the food and agricultural beamesses. Consumer choice will probably effect indinstify complacency. The risk of seal change during the next few years. Government aceds to play its part by, for example, re-placing the Ministry of Agriculture. Fisheries and Food.

The other requirement is immediate; it involves remov ing from the food chain all cuta rescue plan that carries real contaminated feed. If that conviction. This is a time for means slaughtering all curtle throughout riseir lives, so be it.

If, in practice, it means wholesale shughter, is there now any alternative? The catthe new liable to end up being slaughtered, because po-one wants to buy them. The cousequencus of widespread incingration of the bord are bugs.



Government considers slaughtering up to 4.5 million

# SUNDAY POST



a super gourmet weekend



Private life of Page 124 13 the unknown Royals

Now Sean Connery is backing Parollo Oor Wullie



Who'll be in Scotland's squad for Euro 96?



Prof Richard Lacey

Expert claims Britain could face half a million cases a year by 2015



Prof Peter Behan

# New warning of CJD epidemic

### Aut marrin Acrement

FINAL\*

NO: 43,778

THURSDAY, MARCH 21, 1996

September 1

Why women don't go for good-looking men



Tony Stafford and Marcus Armytage cross the winning lin



Elizabeth II

FREE PICTORIAL STORY OF THE QUEEN

HIDID SORES PAGE 6

пре Рафе 22

New strain of CJD kills younger victims
 Ministers try to calm fears over children

### Beef linked to brain disease

#### 'Mad cow' risk to humans is admitted for first time

By Caroline Davies, George Jones, Roger Highfield and David Brown

THE Government admitted for the first time yesterday that mad cow disease might be passed to humans by eating beef. A new strain of Creutzfeldt-Jakob disease, the human form for which there is no cure, has been found in 10 people under the age of 42, seven of whom have died. The "most likely" cause of these cases was exposure to BSE before certain types of offal were banned in 1989.

Dictions who discovered the ness strain of the brain discase said that they could not predict be manuse of piousble ness cases. CJD can take between 10 to 50 years to emergic after infection.

emerge after infection.
With fears that younger
people could be particularly
at risk. Stephen Dorrell, the
Health Secretary, amounced
an emergency meeting this
selekand to draw up advice
to parvaits an abother cloidren should continue to ear
beel products.

The Government also set up a free telephone line carrying a recorded message from hir Kenneth Calman,

#### INSIDE Scientists' fears Fare 4

- The victims: Page 5
- Too soon to panic Page 14
- Editorial Comment Page 15

Mr. Hogg said that with immediate effect, all carcasses of cattle aged woder 30 murths must be de-boued to licensed plants supervised by the Meat Hygiene Service all were aged under 42. There are two other unconfirmed cases. The average age of CID victims until now has been fix.

Prof John Pattison, the chairman of the spongiform conceptatopathy advisory committee (SEAC) a group of Government medical advisors, and "We appear to have something my fuppening in the 1990s which would have had its urigins in an exposure in the middle for late 1990s.

One possibility was that only more asscriptible individuals had soccumbed, so that there could be an



#### Report too late; says family of coma girl

By Tom Leonard

THE grandmother of a teerage victim of Creutzfeldt-Jakob disease attacked the Government yesterday for not revealing earlier the possible link to beef products.

Vicky Rimmer, 18, a former kennel girl from The Wirral, was the first teenager to contract the discase—in 1995—and has been in a deep coma since.

-Her grandmother, Beryl Rimmer, who raised Virky in Hexwall, Merceyside, has contracted CID from eating beethurgers.

"I want to know why a tecnager full of tife can suddenly be reduced to thin," she said yesterday.

Twe been called a liar and looked upon as some kind of trouble-maker but hopefully at last people will be told the

myhealthyherd.com

### THE

No. 65,535

SAT



Supermarkets review policy

### Beef industry faces ruin as bans spread

BY CHARLES BREMNER IN BRUSSELS AND OUR POLITICAL STAFF

THE British beef industry was staring ruin in the face last night as the world beyont spread and the European Commission declared the unilateral bans by eleven EU

As prices continued to plummet at cattle markets, the Consumers' Association gave the starkest warning yet to stop eating beef and supermarkets urgently reviewed

buying and labelling policies.

MFs alarmed by the fallous from the admission that "mad cow" disease might have been caused fatal brain illnesses in people have set up an inquiry into the handling of the affair and automorped ministers to

to close their borders to British beef and cattle.

Eleven EC states have now done so and they were joined yesterday by South Africa Britain's second biggest market after France — New Zenland, Switzerland and Singation of the South Control of the Control of

price among others.

On Thursday, the Commission had said that the EU bans reason that the fill that the EU bans reason that the fill that the countries had for responded to a legitimate concern over public health. That view was backed by the Commission President, Jacques Santer, whome spokeuman waid. The nuch more than a lac-

legal question. This is a very

there was no evidence that "mad cow" disense could be transmitted to people, but said there was a need to review whether existing safeguards

The Commission had earlier missted that it would not be rushed in action, saying: "We are obviously at the peak of the reaction, so there should be no reach decisions." But officials acknowledged that pressure for radical measures was so great that the Agriculture Commissioner Frant Fischler

was vartually obliged to agree.
Herr Fischler will have to
weigh up delicate political
factors' in reaching his decision. He will have to consider
not only the scientific advice.

WEEKEND
Trouble at the nudist camp
In your great Saturday Telegraph: Magazine, Arts & 3ooks, Weekend, Business, Motor

# Slaughter of 'mad cow' herds urged

No evidence of human link, say EU vets as ban on British beef spreads

By Robert Shrimsley and David Brown, and Toby Helm and Helen Cranford in Brussels

EUROPEAN scientists called last night for the slaughter of hundreds of thousands of British cattle to stamp out mad cow disease. While backing British Government claims that there was no clear evidence

Dunblane pupils put long, dark w




myhealthyherd.com

# BSE Epidemic- peaked at 36,000 per year


Peak period of infection as calves

Peak clinical incidence



Infection was controlled using management of known risk factors without use of a test in live animals












# 35,000 cattle per year culled due to TB controls



**Figure 1:** Geographical distribution (point location) of herds sustaining new breakdowns of bovine TB in 1986 and 2009. Only herds with Officially Tuberculosis Free status withdrawn are shown (source: VLA).

myhealthyherd.com

#### Increased risk of disease entry( biosecurity)



#### Purchase of "carrier" cattle

Slurry from other farms


Faeces contaminated water from neighbours' farms

Sheep

Rabbits?



# Increased risk of spread Communal maternity pens




### "Inoculation points"- the calving pen





# Inoculation points: Feeding pooled colostrum and waste milk to heifer calves






Source: Dick Sibley myhealthyherd.com

### The Johne's replicator!



#### Johne's: the clinical case...





Source: Peter Orpin, MyHealthyHerd.com




## Our only control strategy! "Test and Cull"

- National surveillance program (CHeCs)
- Rigid rules
- Annual whole herd test
- Cull positive animals
- No supporting risk management program
- Very little uptake.
   Culling unpopular





### Within herd spread of MAP



Test and cull alone will not control the disease. Risk management is crucial for success





# ...so what were the barriers to overcome...



### Cattle health- What is the weakest

link?



Cattle



Vet

Cow

comfort



Finance





**Farmers** 

Disease



Time

#### Farmer: Vet interaction



- Knowledge
- Enthusiasm
- Communication
- Health Management
- Client bonding
- Right fee structures



- Aspiration
- Resources
- Relationship with vet
- Clarity of direction
- Consistency
- Motivation



### Knowledge and confusion

- Confusion re blood and milk testing
- Lab rivalry and discord
- Misunderstandings re the routes of infection
- Lack of structured approach to infectious disease control
- Limited understanding of control strategies!






#### Objectives for infectious disease management

Freedom from disease

Control of disease

Tolerance of disease





#### Objectives for infectious disease management

#### Freedom from disease

No pathogen

No active disease

Minimal risks of disease

#### Control of disease

Presence of pathogen

Minimise risks of infection

Minimise impacts of infection

Aspire to freedom


#### Tolerance of disease

Pathogen present and active

Risks of disease significant

Disease impacting on health

Control not a high priority





### Objectives for infectious disease management

#### Freedom from disease

No pathogen

No active disease

Minimal risks of disease

#### Control of disease

Presence of pathogen

Minimise risks of infection

Minimise impacts of infection

Aspire to freedom

#### Tolerance of disease

Pathogen present and active

Risks of disease significant

Disease impacting on health

Control not a high priority

- What are you trying to achieve?
- Agree an objective based on:
  - Priorities
  - Resources
  - Risks
  - Impacts

"Aim to get test prevalence less than 1%" Michael Collins

## Infectious Disease Principles- the four pillars (Dick Sibley)

Disease status of the herd

Biosecurity

Surveillance

Resistance / immunity

Control in the herd



## The failed Bovine Tb eradication scheme impacted on the JD program

#### **BTb**

Disease status of the herd


Biosecurity

Surveillance

Resistance / immunity



# The success of surveillance! BTb New incident breakdown



Simply strengthening surveillance alone will not control an infectious disease!

**Figure 1:** Geographical distribution (point location) of herds sustaining new breakdowns of bovine TB in 1986 and 2009. Only herds with Officially Tuberculosis Free status withdrawn are shown (source: VLA).

1986 2009



# The reasons why the UK Johne's epidemic occurred.....

Johnes?



Biosecurity

Surveillance

Resistance / immunity




# Infectious Disease control- preventive approaches

- REDUCING THE RISKS of infections spreading within or between populations by manipulating management, housing and immunity to ensure the "R" or reproductive value is less than 1.
- Reducing the NEW INFECTION RATE by RISK MANAGEMENT is the key to success.
- Johne's control is not about just culling cows!




## Breaking the Johne's Cycle



# Development of Myhealthyherd (2006)

- Is there a better way?
- Could we adapt an infectious disease program which might work for all farms?
- How could we engage farmers and the industry?








This is the vet's 'herd home' page. You can return to it using the 'home' icon above. For help click on the buttons or try getting started. You are logged in as 'peter orpin le86lq' at the 'Park Vet Group' practice.

Choose the farm and then the herd you wish to monitor. Click on the quick links or images to navigate.





## Johne's progress page



#### Progress with Johne's questionnaires:



#### Johne's continued:



#### Johne's recorded history:

Recent surveillance entries: 4	Update	View
Recent vaccination entries: 0	Update	View



# Developing approaches to engage the farmer



Motivation and engagement



Make changes that improve health




Identify profit opportunities and set priorities for investment



myhealthyherd.com

#### Identify risks



**Quantify progress** 

#### Johne's Engagement program

- Myhealthyherd was used as hub for engaging farmers in JD control via a private practices, milk processors, regional control schemes
- -3000 dairy herds have completed risk assessments to varying degrees
- Over 1800 herds are now using Risk Based Control (quarterly milk testing and management)







#### MANAGEMENT REPORT - HIGH RISK COWS

Producer Details	NMR Hard Number	Scheme Communicament	Number of High Risk Cows Present	Page 1 of 2
WHILIOON COLLISHAW		Deb	At Last Text	
MALT HOUSE FARM PARTNERSHIP				
MALT HOUSE HICKLING	04/70063/01	01/01/2010	22	

Results based on cowe sampled on: (Only valid up to 4 months from specified sample date)


Line No.	EarTag	ELISA 18/11/2011	ELISA 26/02/2012	Days in Mile*	Milk Yield (kg)*	Party	MER YIeld Drop	Predicted Calving Date		on Group (62/5012
29	146707200229	21.78	73.68	109	50.90		Very Lifely	22/11/2012		
226	141349700226	30.19	45.96	248	21.60	1	Very Likely	25/06/2012	.6	( 111
415	145707600415	74.45	12453	225	38.00	4	Very Libery	02/07/2012	.0	
429	146707600429	107.01	98.83	177	20.30		Very Libely	21/08/2012	.8	111
490	220511100496	30.30	91.08	253	35.40		Very Likely	07/10/2012	.5	-
675	146707500675	62.35	127.40	266	1450	2	Very Liberty	05/07/2012	.5	
741	146707300741	35.35	39.26	399	1420	(E)	Very Littely	01/07/2012	18	
824	146707300624	187,10	153.00	244	20.00	. 6	Very Citiesly	17/08/2012	.8.	111
307	146707300307	4.16	41.46	195	33.00	5	Litely	12/08/2012	34	
371	145707400371	4.16	58.61	294	1440	4	Linely	18/05/2012	24	- 7
474	148707200474	44.31	0-0	375	21.70	3	Likely	10/03/2012	34	- 0

Quarterly milk testing revolutionised control Automatically collected at milk recording + web reporting and graphing




#### Use of diagnostics in practice

- management at calvings and milk feeding




#### Success of the Danish Johne's program






## Johne's biosecurity risks: Dairy herds including the unknowns



#### Johnes disease status: dairy herds



## Johne's Top tips

UK experience



#### Educate the vets





# Farmer motivation and on farm meetings






#### Use images and challenge perceptions

The typical UK
pre clinical cow.
Under
diagnosed
Cow culled due
to high cell
count, poor
production prior
to onset of
clinical signs.



myhealthyherd.com

#### Illustrate the subclinical effects of JD







## Average 305 day lactation yield for high, medium and low cows



#### Risk Assessments-Ask questions

- Where do you want to be in 5 years time?
- What impact do you think JD is having on your farm?
- How can we help protect the calf from infected faeces?

# Present a farmer with a problem and he will find a solution!




#### Ownership of the disease

- Get the farmer to "own" the disease
- He must fully understand the program and invest in effective controls
- "Mission drift" is common- regular reviews are essential




# Tests are only part of the process "Test and Treat"





# Don't ignore the negative herds! "Predict and Prevent"





#### Simple surveillance strategies

- 30 cow Milk ELISA screen of high risk cows selected on basis of milk yield, somatic cell count and mastitis history
- Highly effective 95% sensitivity for identifying infected herds ( Hanks 2013)

- Combine with risk
   assessment to enhance
   sensitivity
- Repeat screens in high risk herds
- Use results to help predict likely future true herd prevalence



# Prevalence/ Risk

# Farm specific controls- manage expectations!

- Vaccination
- Breed to terminal sire
- Risk based control (Quarterly Testing)
- IFM and Strategic Testing
- "Ostrich approach" and wait for disease to develop
- Improved farm management
- Biosecurity protect and monitor





## Do it right!




**Practice champions** 



CAROLINE JENKINS Admin/data input Assistant

Use support staff

#### Track and store results



Date of test	<u>Test</u>	<u>Lab</u>	Next due date	<u>Laboratory</u> <u>interpretation</u>	Result No. +	Result No. ?	Result No	Notes	Clinical interpretation	Status	Report	Edit
28/02/2012	Milk Ab	NML		Unknown	22	0	0	22 positive. 10 red and 12 amber	Disease confirmed		View	Edit
13/10/2010	Blood Ab ELISA	VLA		Unknown	0	0	0		Disease NOT confirmed		View	Edit
05/10/2010	Blood Ab ELISA	VLA		Unknown	0	0	0	animal ID# 426	Disease confirmed		View	Edit
23/08/2010	Blood Ab ELISA	VLA		Unknown	0	0	0		Disease NOT confirmed		View	Edit
19/08/2010	Milk Ab	NML		Unknown	1	2	140	I red and 2 amber	Disease confirmed		View	Edit

myhealthyherd.com

# Create a farm specific robust plan that will work for the farmer

"80% control= 100% failure"

_			
**	Stocking density		Green - Robust and effective
	Maternity hygiene		Green - Robust and effective
•	Separation high risk cows		Red - High risk of failure
	Colostrum hygiene		Green - Robust and effective
	Milk hygiene		Green - Robust and effective
**	Post calving hygiene	<b>3</b>	Green - Robust and effective
÷	Separation of calves to reduce risk		Green - Robust and effective
*	Calf identification		Red - High risk of failure
ŧ.	Purchasing stock		Green - Robust and effective
	Biosecurity	<b>3</b>	Green - Robust and effective



# Sell preventive medicine- it won't come to you!



Mr Orpin, I am reading about Johne's . I don't have this disease and I would like to pay you to come out here and advise me on how to avoid getting it. Thank you.



#### Do we believe in Preventive Medicine?





# Incorporate infectious disease management into your health reviews

- Quarterly reviews of performance
- Revisit infectious disease programs
- Help identify future problems
- Keep the team on track





#### Protect the uninfected!

- The cheapest way to control JD is to prevent it entering the herd in the first place
- Effective
   management of JD
   disease entry risks is
   vital



#### Questions???

pete.orpin@parkvetgroup.com

